


X. Liu, M. Raissi-Dehkordi, J. Jou, H. Chen/J. Baras

## Objectives

- **Design of a structural Internet traffic model**
  - It involves practical network and protocol parameters, and can inherently show multi-scaling behavior.
- **Physical interpretation of multi-scaling traffic**
  - Establishing relations between network/protocol parameters and multi-scaling behaviors.
- **Performance modeling of multi-scaling traffic**
  - Understanding how multi-scaling characters affect network performance.
- **Traffic management for future Internet**
  - Deciding how to control the multi-scaling traffic and improve quality of services by managing network/protocol parameters.


## Hierarchical On-Off (HOO) Model

- Structurally imitating TCP traffic in multiple resolutions.
- Involving parameters from connection level to packet level
- Explicitly modeling protocol effect of TCP
- Level I is a  $G/G/\infty$  or  $M/G/\infty$  process
- Exhibiting long-range dependent and multifractal behaviors





## Multifractality of HOO Model

- Left: wavelet partition function. It shows different orders of moments have non-uniform scaling parameters.
- Middle: structure function. The concaveness of it indicates the multi-scaling property.
- Right: multifractal spectrum. It displays the rich scaling structure.




## Matching Real Traffic

- LBL-TCP3 is a trace of one hour of TCP traffic from LBL
  - Top: matching of 2nd-order scaling structure
  - Bottom: matching of scaling structures in many diff. orders.
- Left: for small time scales; Right: for large time scales



## Predicting Queueing Performance (I)

- Queueing analysis of the HOO model:
 
$$\text{Prob}[Q > x] \sim \beta x^{-\alpha},$$
 where  $\beta$  is a coefficient related with 1st-order statistics of the traffic, and  $\alpha$  is the index of the tail of the connection length.
- Queueing performance can be predicted with a simple statistical inference method based on the queueing analysis.
- Simulations
  - From left to right are comparisons of simulated queue tails with prediction results in different traffic loads: 20%, 30%, and 80%.



## Predicting Queueing Performance (II)

- Predicting queue tails for real traffic traces.
  - The left is for trace LBL-TCP, which has an average rate of 282.12Kbps. The right is for trace SAT-TCP, a TCP trace from NASA. It has an average rate of 4.39Mbps. Their traffic loads are 56.42% and 68.59%, respectively.

